

Summary for Period

SUMMARY

Parity	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
Gilts	57	16.4	10.4	14.7	0.8	18.0	0.3	11.2			10.2	28.0	
2	66	19.0	11.7	19.1	0.6	14.2	0.2	12.2			10.8	28.3	150
3	50	14.4	12.1	15.0	0.6	10.9	0.2	12.6			10.6	28.2	146
4	53	15.2	12.4	16.3	1.2	22.8	0.4	13.5			10.4	27.6	148
5	40	11.5	12.2	12.1	0.6	8.6	0.3	12.8			10.0	27.8	149
6	37	10.6	12.0	11.0	0.5	7.5	0.3	12.5			9.7	28.8	147
7	24	6.9	11.1	6.6	1.2	10.9	0.2	12.3			9.9	28.5	151
8	8	2.3	10.9	2.2	0.6	1.9	0.3	11.5			10.3	24.4	148
9	9	2.6	9.3	2.1	0.8	2.6	0.4	10.1			9.8	29.6	147
10	3	0.9	10.7	0.8	1.7	1.9	0.0	12.3			9.7	28.7	146
11	1	0.3	8.0	0.2	2.0	0.7	1.0	10.0			7.0	40.0	
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

6 Month Summary

SUMMARY

Parity	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
Gilts	39	15.7	10.8	14.4	0.8	17.6	0.5	11.7			10.4	28.7	
2	48	19.3	11.9	19.5	0.6	14.9	0.3	12.5			10.8	28.8	150
3	33	13.3	12.4	14.0	0.5	9.6	0.2	12.9			10.7	28.5	146
4	37	14.9	12.8	16.3	1.1	22.3	0.5	14.0			10.6	27.6	148
5	26	10.4	11.6	10.3	0.5	6.4	0.5	12.0			10.2	27.8	149
6	30	12.0	11.9	12.3	0.6	9.0	0.3	12.5			9.7	29.0	147
7	19	7.6	11.3	7.3	1.2	12.2	0.2	12.5			10.0	27.9	151
8	7	2.8	10.6	2.5	0.7	2.7	0.3	11.3			10.3	23.9	148
9	6	2.4	9.8	2.0	0.5	1.6	0.5	10.3			10.0	26.6	147
10	3	1.2	10.7	1.1	1.7	2.7	0.0	12.3			9.7	28.7	146
11	1	0.4	8.0	0.3	2.0	1.1	1.0	10.0			7.0	40.0	
	249	100.0	11.7	100.0	0.8	100.0	0.3	12.5			10.4	28.3	148

12 Month Summary

SUMMARY

Parity	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
Gilts	57	16.4	10.4	14.7	0.8	18.0	0.3	11.2			10.2	28.0	
2	66	19.0	11.7	19.1	0.6	14.2	0.2	12.2			10.8	28.3	150
3	50	14.4	12.1	15.0	0.6	10.9	0.2	12.6			10.6	28.2	146
4	53	15.2	12.4	16.3	1.2	22.8	0.4	13.5			10.4	27.6	148
5	40	11.5	12.2	12.1	0.6	8.6	0.3	12.8			10.0	27.8	149
6	37	10.6	12.0	11.0	0.5	7.5	0.3	12.5			9.7	28.8	147
7	24	6.9	11.1	6.6	1.2	10.9	0.2	12.3			9.9	28.5	151
8	8	2.3	10.9	2.2	0.6	1.9	0.3	11.5			10.3	24.4	148
9	9	2.6	9.3	2.1	0.8	2.6	0.4	10.1			9.8	29.6	147
10	3	0.9	10.7	0.8	1.7	1.9	0.0	12.3			9.7	28.7	146
11	1	0.3	8.0	0.2	2.0	0.7	1.0	10.0			7.0	40.0	
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

Litter Analysis - Factors Affecting Farrowing Performance



FARM B

01/01/05 - 04/11/05

SUMMARY

Parity

Parity	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
Gilts	57	16.4	10.4	14.7	0.8	18.0	0.3	11.2			10.2	28.0	
2	66	19.0	11.7	19.1	0.6	14.2	0.2	12.2			10.8	28.3	150
3	50	14.4	12.1	15.0	0.6	10.9	0.2	12.6			10.6	28.2	146
4	53	15.2	12.4	16.3	1.2	22.8	0.4	13.5			10.4	27.6	148
5	40	11.5	12.2	12.1	0.6	8.6	0.3	12.8			10.0	27.8	149
6	37	10.6	12.0	11.0	0.5	7.5	0.3	12.5			9.7	28.8	147
7	24	6.9	11.1	6.6	1.2	10.9	0.2	12.3			9.9	28.5	151
8	8	2.3	10.9	2.2	0.6	1.9	0.3	11.5			10.3	24.4	148
9	9	2.6	9.3	2.1	0.8	2.6	0.4	10.1			9.8	29.6	147
10	3	0.9	10.7	0.8	1.7	1.9	0.0	12.3			9.7	28.7	146
11	1	0.3	8.0	0.2	2.0	0.7	1.0	10.0			7.0	40.0	
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

Total Number Born (Live + Dead)

Number	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
1	1	0.3	1.0	0.0	0.0	0.0	0.0	1.0			12.0	48.0	
3	2	0.6	3.0	0.1	0.0	0.0	0.0	3.0			10.5	24.5	147
4	3	0.9	4.0	0.3	0.0	0.0	0.0	4.0			10.0	26.7	148
5	1	0.3	5.0	0.1	0.0	0.0	0.0	5.0			8.0	28.0	
6	11	3.2	5.9	1.6	0.1	0.4	0.0	6.0			9.3	26.3	149
7	8	2.3	6.8	1.3	0.3	0.7	0.1	7.0			10.1	26.0	147
8	11	3.2	7.9	2.2	0.1	0.4	1.0	8.0			10.6	27.1	147
9	24	6.9	8.5	5.1	0.5	4.1	0.0	9.0			10.3	27.7	148
10	22	6.3	9.3	5.1	0.7	6.0	0.6	10.0			9.5	29.4	147
11	39	11.2	10.7	10.3	0.3	4.9	0.3	11.0			9.9	28.3	146
12	51	14.7	11.5	14.6	0.5	9.4	0.1	12.0			10.2	28.5	147
13	49	14.1	12.3	14.9	0.7	13.5	0.3	13.0			10.8	28.2	152
14	40	11.5	12.9	12.8	1.1	16.1	0.3	14.0			10.3	28.6	149
15	31	8.9	14.0	10.7	1.0	12.0	0.4	15.0			10.4	27.9	149
16	31	8.9	14.5	11.2	1.5	16.9	0.2	16.0			10.1	28.3	148
17	12	3.4	15.4	4.6	1.6	7.1	0.3	17.0			10.9	28.3	148
18	9	2.6	15.7	3.5	2.3	7.9	0.6	18.0			10.9	25.6	152
19	1	0.3	19.0	0.5	0.0	0.0	0.0	19.0			10.0	28.0	
20	1	0.3	18.0	0.4	2.0	0.7	0.0	20.0			9.0	27.0	148
21	1	0.3	21.0	0.5	0.0	0.0	0.0	21.0			13.0	34.0	
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

Number of Matings

Number	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
1	226	64.9	11.3	63.5	0.8	63.7	0.3	12.1			10.1	28.2	147
2	7	2.0	12.7	2.2	1.0	2.6	0.3	13.7			11.3	29.1	152
3	115	33.0	12.0	34.3	0.8	33.7	0.2	12.8			10.5	28.1	148
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

Boar Tag

Boar	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
------	---------	------------	----------	--------	----------	--------	----------	----------	----------------------	----------------------	------------	-------------------	----------------








Boar Tag

Boar	Litters	% of Total	Av. Live	% Live	Av. Dead	% Dead	Av. Mmfd	Av. Born	Av. Litter Birth Wt.	Av. Piglet Birth Wt.	Av. Weaned	Av. Days Suckling	Av. Farr. Int.
1	4	1.1	11.8	1.2	1.3	1.9	0.0	13.0			10.3	29.8	154
3	1	0.3	11.0	0.3	0.0	0.0	0.0	11.0			12.0	27.0	
4	8	2.3	12.1	2.4	0.3	0.7	0.0	12.4			11.3	26.8	146
VANTAGE F	335	96.3	11.6	96.2	0.8	97.4	0.3	12.3			10.2	28.2	148
	348	100.0	11.6	100.0	0.8	100.0	0.3	12.3			10.3	28.1	148

FARM B

01/01/05 - 04/11/05

SUMMARY



Service Analysis - Boar Performance



FARM B

01/01/05 - 04/11/05

SUMMARY

Pure Matings

Boar	All Services in Period					Boar Related Services			
	Matings /week	Services /week	Total Services	Total Returns	Conception Rate (%)	Services /week	Total Services	Total Returns	Conception Rate (%)
1	1.8	0.6	27	3	88.9	0.6	27	3	88.9
2	0.0	0.0	1	1	0.0 *	0.0	0	0	0.0
3	1.4	0.5	22	4	81.8 *	0.5	21	3	85.7
4	2.5	0.9	38	3	92.1	0.8	36	2	94.4
VANTAGE FC	15.2	7.6	336	34	89.9	6.0	266	10	96.2
	20.9	9.6	424	45	89.4	8.0	350	18	94.9

* if conception rate < 85.0%

All Matings

Boar	All Services in Period					Boar Related Services			
	Matings /week	Services /week	Total Services	Total Returns	Conception Rate (%)	Services /week	Total Services	Total Returns	Conception Rate (%)
1	1.9	0.7	32	4	87.5	0.7	31	3	90.3
2	0.0	0.0	1	1	0.0 *	0.0	0	0	0.0
3	1.5	0.6	25	5	80.0 *	0.5	24	4	83.3 *
4	2.9	1.3	56	10	82.1 *	1.2	52	7	86.5
VANTAGE FC	16.2	8.2	360	43	88.1	6.5	287	16	94.4
	22.6	10.8	474	63	86.7	9.0	394	30	92.4

* if conception rate < 85.0%

Operator Efficiency


Operator	Service Type	All Services in Period				Boar Related Services			
		Services /week	Total Services	Total Returns	Conception Rate (%)	Services /week	Total Services	Total Returns	Conception Rate (%)
		10.0	438	53	87.9	8.2	362	24	93.4
		10.2	449	54	88.0	8.5	372	24	93.5

* if conception rate < 85.0%

Lost Days

		Number	Total Days	Average
Gilts	Entry to cull	1	138	138.0
	Entry to death	0	0	0.0
	Entry - still unserved	0	0	0.0
	Entry to 1st service	59	1516	25.0
	Service to reservice	10	244	24.4
	Service to abortion	0	0	0.0
	Service to NIP	5	291	58.2
	Service to sale	14	734	52.4
	Service to death	0	0	0.0
Sows	Weaning to cull	27	432	16.0
	Weaning to death	3	27	9.0
	Weaned - still unserved	4	114	28.5
	Weaning to 1st service	261	1376	5.3
	Service to reservice	23	662	28.8
	Service to abortion	1	89	89.0
	Service to NIP	14	700	50.0
	Service to sale	28	1517	54.2
	Service to death	0	0	0.0

Days to Return



Days	No.	%	Days	No.	%	Days	No.	%	Days	No.	%	Days	No.	%	Days	No.	%
7	1	1.03	28	5	5.15	79	2	2.06									
12	1	1.03	29	1	1.03	86	2	2.06									
14	2	2.06	30	1	1.03	87	2	2.06									
16	1	1.03	32	3	3.09	89	1	1.03									
17	1	1.03	33	1	1.03	97	1	1.03									
18	3	3.09	34	2	2.06	107	1	1.03									
19	3	3.09	36	1	1.03	110	1	1.03									
20	8	8.25	38	1	1.03	111	2	2.06									
21	13	13.4	40	1	1.03	112	1	1.03									
22	7	7.22	41	2	2.06	126	1	1.03									
23	3	3.09	42	2	2.06	147	1	1.03									
24	5	5.15	44	1	1.03												
25	4	4.12	45	1	1.03												
26	2	2.06	65	1	1.03												
27	3	3.09	66	2	2.06												

Service Analysis - Factors Affecting Conception / Farrowing %



FARM B

01/01/05 - 04/11/05

SUMMARY

Parity

Parity	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
Gilts	69	15.4	8	11.6	25.0	0	4	0	2	8	47	79.7	68.1	10.5	0.9	0.4	11.4
2	88	19.6	8	9.1	25.0	0	7	0	0	2	71	83.0	80.7	12.1	0.5	0.2	12.6
3	63	14.0	5	7.9	15.6	0	3	0	1	5	49	85.7	77.8	12.4	0.6	0.3	12.9
4	57	12.7	2	3.5	6.3	0	3	0	1	2	49	89.5	86.0	12.8	1.0	0.4	13.9
5	57	12.7	4	7.0	12.5	2	3	0	2	3	43	80.7	75.4	11.8	0.6	0.5	12.4
6	49	10.9	2	4.1	6.3	0	0	0	0	1	46	95.9	93.9	12.2	0.5	0.3	12.8
7	40	8.9	3	7.5	9.4	1	1	0	0	1	34	87.5	85.0	11.1	1.2	0.4	12.4
8	13	2.9	0	0.0	0.0	0	1	0	1	2	9	84.6	69.2	11.0	0.7	0.2	11.7
9	9	2.0	0	0.0	0.0	0	0	0	0	0	9	100.0	100.0	9.8	0.4	0.3	10.2
10	3	0.7	0	0.0	0.0	0	0	0	0	0	3	100.0	100.0	10.7	1.7	0.0	12.3
11	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	8.0	2.0	1.0	10.0
	449	100.0	32	7.1	100.0	3	22	0	7	24	361	85.7	80.4	11.8	0.7	0.3	12.6

Age of Gilt (weeks)

Age	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
69	100.0	8	11.6	100.0	0	4	0	2	8	47	79.7	68.1	10.5	0.9	0.4	11.4	
69	100.0	8	11.6	100.0	0	4	0	2	8	47	79.7	68.1	10.5	0.9	0.4	11.4	

Number of Matings

Number	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
1	162	36.1	8	4.9	25.0	1	4	0	2	0	147	90.7	90.7	11.3	0.7	0.4	12.0
2	29	6.5	4	13.8	12.5	0	5	0	0	5	15	69.0	51.7	11.9	1.4	0.6	13.3
3	257	57.2	20	7.8	62.5	2	13	0	5	19	198	84.4	77.0	12.2	0.7	0.3	12.9
4	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	2.0	1.0	15.0
	449	100.0	32	7.1	100.0	3	22	0	7	24	361	85.7	80.4	11.8	0.7	0.3	12.6

Length of Lactation

Days	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
	155	37.3	12	7.7	44.4	0	3	0	2	7	131	89.0	84.5	11.5	0.8	0.3	12.3
1	1	0.2	1	100.0	3.7	0	0	0	0	0	0	0.0	0.0				
19	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	14.0	0.0	0.0	14.0
21	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	14.0	0.0	1.0	14.0
22	3	0.7	0	0.0	0.0	0	0	0	0	0	3	100.0	100.0	14.0	0.0	0.0	14.0
23	7	1.7	0	0.0	0.0	0	0	0	0	0	7	100.0	100.0	12.6	0.9	0.0	13.4
24	3	0.7	0	0.0	0.0	0	0	0	0	0	3	100.0	100.0	12.0	0.7	0.3	12.7
25	7	1.7	0	0.0	0.0	0	1	0	0	1	5	85.7	71.4	13.6	0.2	0.0	13.8
26	9	2.2	0	0.0	0.0	0	0	0	0	2	7	100.0	77.8	11.9	1.1	0.7	13.0
27	53	12.7	3	5.7	11.1	0	1	0	2	0	47	88.7	88.7	11.7	0.6	0.3	12.3
28	120	28.8	6	5.0	22.2	2	10	0	2	4	96	83.3	80.0	11.8	0.7	0.4	12.5
29	21	5.0	2	9.5	7.4	0	0	0	1	5	13	85.7	61.9	12.5	1.2	0.4	13.8
30	6	1.4	0	0.0	0.0	0	0	0	0	1	5	100.0	83.3	11.4	1.2	0.4	12.6
31	4	1.0	0	0.0	0.0	0	2	0	0	0	2	50.0	50.0	12.5	0.5	0.5	13.0
32	5	1.2	1	20.0	3.7	0	0	0	0	0	4	80.0	80.0	13.5	1.3	0.3	14.8
33	4	1.0	0	0.0	0.0	0	0	0	0	0	4	100.0	100.0	14.3	0.3	0.0	14.5
34	2	0.5	0	0.0	0.0	0	0	0	0	0	2	100.0	100.0	15.5	1.0	1.0	16.5
36	2	0.5	0	0.0	0.0	0	0	0	0	0	2	100.0	100.0	12.0	1.0	2.0	13.0
37	4	1.0	0	0.0	0.0	0	1	0	0	0	3	75.0	75.0	10.3	0.0	0.0	10.3

Service Analysis - Factors Affecting Conception / Farrowing %



FARM B

01/01/05 - 04/11/05

SUMMARY

Length of Lactation

Days	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
38	3	0.7	0	0.0	0.0	0	0	0	0	0	3	100.0	100.0	13.0	0.7	0.0	13.7
40	2	0.5	1	50.0	3.7	0	0	0	0	0	1	50.0	50.0	16.0	0.0	0.0	16.0
43	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	17.0	0.0	0.0	17.0
44	1	0.2	1	100.0	3.7	0	0	0	0	0	0	0.0	0.0				
49	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	11.0	1.0	0.0	12.0
416	100.0	27	6.5	100.0	2	18	0	7	20	342	87.0	82.2	11.9	0.7	0.3	12.6	

Weaning to Service Interval

Days	Served	% of Total	Repeat	% of Total	% Rpts	Aborted	NIP	Died	Sold	In Pig	Farr.	Con. %	Farr. %	Farrowing Averages			
														Live	Dead	Mmfd	Born
	155	37.3	12	7.7	44.4	0	3	0	2	7	131	89.0	84.5	11.5	0.8	0.3	12.3
4	153	36.8	5	3.3	18.5	0	3	0	4	5	136	92.2	88.9	12.2	0.6	0.3	12.8
5	77	18.5	7	9.1	25.9	2	5	0	1	8	54	80.5	70.1	11.7	0.8	0.4	12.5
6	8	1.9	0	0.0	0.0	0	2	0	0	0	6	75.0	75.0	12.0	1.3	0.3	13.3
7	3	0.7	0	0.0	0.0	0	1	0	0	0	2	66.7	66.7	14.5	0.5	0.5	15.0
8	4	1.0	1	25.0	3.7	0	1	0	0	0	2	50.0	50.0	11.0	0.5	2.5	11.5
9	2	0.5	1	50.0	3.7	0	0	0	0	0	1	50.0	50.0	14.0	2.0	1.0	16.0
10	1	0.2	0	0.0	0.0	0	1	0	0	0	0	0.0	0.0				
13	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	2.0	0.0	15.0
14	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	12.0	2.0	0.0	14.0
15	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	17.0	0.0	0.0	17.0
16	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	9.0	0.0	0.0	9.0
17	1	0.2	1	100.0	3.7	0	0	0	0	0	0	0.0	0.0				
18	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	1.0	0.0	14.0
19	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	0.0	0.0	13.0
25	2	0.5	0	0.0	0.0	0	0	0	0	0	2	100.0	100.0	11.5	1.0	0.0	12.5
26	2	0.5	0	0.0	0.0	0	2	0	0	0	0	0.0	0.0				
27	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	3.0	1.0	16.0
30	1	0.2	0	0.0	0.0	0	0	0	0	0	1	100.0	100.0	13.0	0.0	0.0	13.0
416	100.0	27	6.5	100.0	2	18	0	7	20	342	87.0	82.2	11.9	0.7	0.3	12.6	